

DATA SHEET

| Material | ROCKAL Board Insulation (LDB70) |
|----------|--|
| Details | 70kg/m³ Density; 50mm Thickness; Unfaced |

ROCKAL Rockwool boards are composed of mineral rock fibers, processed from volcanic basaltic rocks. Fibers are bonded together with a thermosetting binder which gives flexibility and resilience to the product.

It can be used as thermal and acoustical insulation and a fire barrier used in commercial, industrial, and residential buildings.

Description

| Thickness (mm) | Density (kg/m³) | Facing | ASTM Classification |
|----------------|-----------------|---------|---------------------|
| 50 | 70 | Unfaced | ASTM C-612 |

| Density | 70 (kg/m³) | ASTM C-303 |
|---|---|-------------|
| Nominal Thermal Conductivity @50 °C mean) | 0.038 (W/mK) | ASTM C-767 |
| Thermal Resistance (R) | 1.32 (M ² K/W) | EN 12667 |
| Service Temp (Hot Side) | 400 °C to 750 °C | ASTM C-411 |
| Water Vapor Sorption | <1% (By weight, water repellant, Non- Hygroscopic) | ASTM C-1104 |
| Combustibility | Non Combustible | E-136 |
| Fungi Resistance | Doesn't encourage fungi growth | - |
| Color | Brown | Visual |
| Noise Reduction Coefficient (NRC) | 0.85 | ASTM C-423 |
| Corrosiveness | Non-corrosive | ASTM C-692 |
| Flame spread | ≤10 | ASTM E84 |
| Smoked Developed | ≤25 | ASTM E84 |

Head Office: Al Badr Plaza - Mostafa EL Nahas St.ext-Beside King Fahd Schools - Nasr City-

Cairo.Egypt

Tel & Fax: +(202) 23812796 / 23812804 / 23812795

Factory: El Obour City - Bilbes Road - Kilo 17.5 - Egypt
25797175

Tel & Fax: +(202)
Website: www.rockal.org

Branch: Sedey Saaid Sq - Sabtia - Cairo

E-mail: Sales@rockal.org